



SUNMAN-PV Warranty Terms 2022

Off-grid Photovoltaic Module Limited Warranty

Sunman (Zhenjiang) Company Limited (“SUNMAN”) hereby grants the following Limited Warranty to the original end-customer installing (“Customer”) any of the specified (and no other) brand models listed below (the “Modules”):

SMFxxxM-4X09UW, SMFxxxM-4X08UW, SMFxxxS-4X09UW, SMFxxxF-12X12UW,
SMFxxxF-3X12UW, SMFxxxF-4X18UW.

Note: xxx is a module power rating which set out in the relevant Product Datasheet (for example “SMF100S-4X09UW”).

1. Limited Product Warranty

Sunman (Zhenjiang) Company Limited (“SUNMAN”) warrants that its photovoltaic modules together with the DC connector cable assemblies are free from defects, if any, in materials and workmanship under normal application, use, installation and service conditions for a period of pending 60 months from the delivery (Incoterms 2010) of SUNMAN modules with front-side J-Box (“Modules”) to the original end-customer (“Customer”), or 12 months after the date of production of the Modules as indicated in the serial number, whichever date is earlier. If Modules become malfunction or inoperative due to defect in material or workmanship during such pending 60 months period set forth above, SUNMAN will, at its own option, either repair or replace the Modules in problem, or refund a reasonable portion of the purchase price as paid by the Customer (“Purchase Price”). The repair or replacement or refund remedy shall be the sole and exclusive remedy provided under this Limited Warranty.

2. Limited Peak Power Warranty and Limited Remedy

SUNMAN warrants the percentage of nominal power output as below:

A. A solar Module’s performance warranty will typically guarantee 90% of rated power output at 5 years.

B. SUNMAN warrants each Module against defects in materials and workmanship that result in the failure of the Modules to produce the warranted percentage specified above of the nominal power output for the Module set forth in SUNMAN's product datasheet. If SUNMAN determines in its discretion that any Module is not providing the warranted percentage of the nominal power output due to Modules’ defects in material or workmanship attributed to SUNMAN, who will, at its sole option and discretion, either [1] make up such loss in power by providing to Customer additional Modules; or [2] repair or replace the defective Modules including free shipping to the place supplied by SUNMAN; or [3] refund Customer such loss proportion arising from unqualified power output which less than the warranted percentage of the nominal power.

The remedies set forth in Section 2 are the sole and exclusive remedies provided under the limited minimum Peak Power Warranty.

3. Exclusions and Limitations;

A. Warranty claims, in any event, shall be filed in writing to SUNMAN or its authorized distributors within the applicable warranting period

B. These Limited Warranties will not be applied to normal wear and tear, to the natural effects of exposure to weather conditions over time, or to the Modules which under SUNMAN's sole judgment have been subjected to:

Misuse, abuse, neglect, vandalism or accident;

Alteration, improper installation or application;

Repair or modifications that do not strictly follow the manufacturer's instructions;

Non-observance of SUNMAN's maintenance instructions;

Power failure, electrical spikes or surges, lighting, flood, fire, accidental breakage or other events outside the control of SUNMAN.

C. These Limited Warranties only cover the transportation costs for shipment of any repaired or replaced Modules to the place applied by SUNMAN. Any costs for returning the Modules to SUNMAN or its authorized agents and authorized distributors, or costs associated with installation, removal or reinstallation of the Modules, shall be borne by the end user Customers.

D. Warranty claims will not be honored if the type or serial number of SUNMAN Modules have been altered, removed or made illegible without written authorization from SUNMAN.

4. Transferability

This warranty is extended to the original end-user purchaser, and is also transferable to any subsequent owner of the location or holder of the product when Module(s) remain at their original installed location upon satisfactory proof of succession or assignment.

5. Obtaining Warranty Performance

In order to obtain warranty service under the SUNMAN Limited Warranty, the end user Customer should promptly notify SUNMAN regional customer service center. Together with the notification, the complete serial number printed on the module label and the shipment date of its Modules shall be marked as well. If the Modules will be returned for inspection, repair or replacement by SUNMAN, SUNMAN will give the Customer a Return Merchandise Authorization (RMA). However, SUNMAN will not accept a return of any Modules without a RMA.

6. Disputes

No action, regardless of form, arising out of or in any way connected with this Limited Warranty, may be brought by the end user Customer more than one (1) year from the date when causes of action occurred.

7. Various

The repair or replacement of the Modules or the supply of additional Modules does not lead to a new commencement of warranty terms, nor shall the original terms of this Limited Warranty be extended. Any replaced Modules shall become the property of SUNMAN. SUNMAN shall at its own options to deliver another type of PV Modules (different in size, color, shape, or power), either a new brand or the original one, in case of that SUNMAN has discontinued producing the module in question at the time of the claim.

8. Force Majeure

SUNMAN shall not be in any way be responsible or liable to the end user Customer or any third-party arising out of any non-performance or delay in performance of any terms and conditions of sale, including this Limited Warranty, due to fire, flood, blizzard, hurricane, thunder, acts of God, changes of public policies, terrorism, war, riots, strikes, unavailability of suitable and sufficient labor or materials and other events which are out of control of SUNMAN.

NOTE: "Peak Power" is the power in watt peak that a PV-module generates in its maximum power point. SUNMAN measurements are as follows (a) light spectrum of AM 1.5, (b) an irradiation of 1,000W per m² and (c) a cell temperature of 25 degree Centigrade. The measurements are carried out in accordance with IEC61215 as tested at the junction box terminals per the calibration and testing standards of SUNMAN valid at the date of manufacture of the PV-Modules. SUNMAN's calibration standards shall be in compliance with the standards applied by international institutions accredited for this purpose.

Sunman (Zhenjiang) Company Limited

Add: No.1 Mingzhu South Road, Youfang Town, Yangzhong City, Zhenjiang, Jiangsu, China

Tel.: +86 400 969 2800

Fax: +86-21-39881933

Email: sales@sunman-energy.com

Website: www.sunman-energy.com